

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/562,376	05/02/2006	Claus Harder	117163.00158	8059
21324 7590 12/10/2908 HAHN LOESER & PARKS, LLP One GO/O Plaza			EXAMINER	
			GANESAN, SUBA	
Suite 300 AKRON, OH	44311-1076		ART UNIT	PAPER NUMBER
			3774	
			NOTIFICATION DATE	DELIVERY MODE
			12/10/2008	ELECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patents@hahnlaw.com akron-docket@hotmail.com

## Application No. Applicant(s) 10/562,376 HARDER ET AL. Office Action Summary Examiner Art Unit SUBA GANESAN 3774 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 29 August 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-5 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 1-5 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received.

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Attachment(s)

Interview Summary (PTO-413)
 Paper No(s)/Mail Date. \_\_\_\_\_.

6) Other:

5) Notice of Informal Patent Application

Page 2

Application/Control Number: 10/562,376

Art Unit: 3774

### DETAILED ACTION

#### Status of the Claims

Claims 1-5 are currently pending. Claim 1 has been amended on 8/29/2008.

### Response to Arguments

 Applicant's arguments with respect to claims 1-5 have been considered but are moot in view of the new ground(s) of rejection.

## Claim Rejections - 35 USC § 102

 The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filled in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filled in the United States before the invention by the applicant for patent, except that an international application filled under the treaty defined in section 35(1a) shall have the effects for purposes of this subsection of an application filled in the United States only if the international application designated the United States and was published under Article 21(2) of such treatly in the English language.
- Claims 1 and 2 are rejected under 35 U.S.C. 102(e) as being anticipated by Santos et al. (U.S. Pat. No.: 7,169,178).
- 3. Santos discloses a stent comprising a tubular basic body with a coating system comprising a polymer carrier and a pharmaceutically active substance (see abstract) wherein a concentration of the pharmaceutically active substance in the coating varies in the longitudinal direction of the stent (see fig. 5), such that the pharmaceutically active substance exhibits predetermined locally different elution characteristics in the longitudinal direction of the stent (see fig. 2b). The polymer carrier is biodegradable (see coating materials (col. 9 lines 1-30) for example, poly(L-lactic acid) or collagen).

Application/Control Number: 10/562,376 Page 3

Art Unit: 3774

### Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Santos et al. (U.S. Pat. No.: 7.169.178).
- 6. With respect to claim 3, Santos discloses biodegradable polymer carriers; however, Santos is silent as to whether the degradation behavior of the carrier serves to differentiate local elution characteristics. If not inherent in the disclosure of Santos, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have utilized the degradation characteristics of the polymer to differentiate local elution characteristics, since the rate of polymeric degradation would affect the amount of drug released from that polymer.
- Claims 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over
  Santos et al. (U.S. Pat. No.: 7,169,178) in view of Johnson (U.S. Pat. No.: 5,972,027).
- 8. Santos is explained supra. However, Santos lacks a concentration of drug greater adjacent the face surfaces that the middle, or a second drug with a greater concentration in the middle than the face surfaces. Johnson teaches the use of multiple drugs with different concentrations based on the porosity of the stent (see fig. 5 and col. 4 lines 33-50) for the purpose of treating restenosis with multiple drugs. It would have been obvious to one of ordinary skill in the art at the time the invention was made to

Application/Control Number: 10/562,376

Art Unit: 3774

have provided the coated stent with variable drug concentration in the coating as disclosed by Santos with the release profile as taught by Johnson such that a first drug has a higher concentration at the ends of the stent and a second drug has a higher concentration in the middle of the stent, for the purpose of treating restenosis with multiple therapeutic agents.

#### Conclusion

 Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SUBA GANESAN whose telephone number is (571)272-3243. The examiner can normally be reached on M-F 7-4.

Application/Control Number: 10/562,376 Page 5

Art Unit: 3774

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Isabella can be reached on 571-272-4749. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. G./ Examiner, Art Unit 3774 /William H. Matthews/ Primary Examiner, Art Unit 3774